


NT33-2SBCF2(E)

Product Specification




Product Specification

NT33-2SBCF2(E)-KJA222

Product Features

Motor Type: Single Motor / Brushless
 Column Type: 2-Leg 2-Stage Standard
 Square Column / No Hole
 Column Size: 60×60 / 55×55 mm
 Desk Frame Height Range: 715–1155±5 mm
 Column Stroke: 440 mm
 Frame Width Adjustment Range: 990–1400±5 mm
 Compatible Desktop Length: 1200–1600 mm
 Side Bracket Length: 450 mm
 Foot Size: 600×75 mm
 Max Desk Load Capacity: 100 kg / 220.46 lbs
 Maximum Speed: 20 mm/s
 Low Noise Level: ≤50 dB (No Load)
 Function: Anti-collision Safety Protection
 Standby Power Consumption: <0.1 W
 Surface Finish: Powder-coated White
 (Standard Color)
 Black (Standard Color)
 Gray (Standard Color)
 Package Dimensions: 1065×345×120 mm
 Net/Gross Weight: 17.3 / 19.9 kg




Optional

Custom Colors Available
 Compatible Handset Models/Series:
 Standard Handset
 Compatible Controller
 Models/Series: Wall Plug
 Multiple Foot Options Available

Operating Instructions


Duty Cycle: 10%; Work 2 minutes,
 rest 18 minutes
 Operating Environment: Indoor
 Storage and Transportation
 Temperature: -10°C to 70°C

Dimension Drawing



Naming Rule

Example



F = No Hole / A = Standard / R = Reversed / G = Ball Bearing